Author Index[1]

ADAMS, DARIUS M., 29:289
ADAMS, W. T., 29:423
ALTO, J. V., 29:823
ALWARD, G. S., 29:837
ANDERSON, WALTER C., 29:211 (rev.)
ASKEW, GEORGE R., 29:514
BAILEY, R. L., 29:96
BALLARD, R., 29:618
BARNARD, E. L., 29:791
BARRETT, J. W., 29:395
BEEMSTERBOER, PAUL, 29:124
BELL, J. F., 29:491
BERGEN, JAMES D., 29:357
BERGER, JOYCE L., 29:241
BESCHTA, ROBERT L., 29:438 (rev.)
BJORKBOM, JOHN C., 29:103
BLEDSOE, C. S., 29:193
BORMANN, BERNARD T., 29:734
BOYER, WILLIAM D., 29:15
BRYANT, BEN S., 29:332 (rev.)
BRYANT, R. L., 29:696
BRYER, JOHN B., 29:670
BUONGIORNO, JOSEPH, 29:255
CAMPBELL, R. E., 29:871
CAMPBELL, ROBERT W., 29:779
CANNELL, G. H., 29:592
CHANG, SUN JOSEPH, 29:267; 29:702
CHAPPELKA, ARTHUR H., III, 29:253
CHOU, JIEH-JEN, 29:225
CLARK, A., III, 29:618
CLARK, PETER R., 29:592
COBB, F. W., JR., 29:12
COHAN, DAVID, 29:858
CONNAUGHTON, KENT P., 29:3
CRAWFORD, HEWLETTE S., 29:726
CRIM, S. A., 29:837
DELLA-BIANCA, LINO, 29:27
DOUGLASS, JAMES E., 29:181
DYER, A. A., 29:837
EISSENSTAT, D. M., 29:166
EK, ALAN R., 29:771
ENGER, ASMUND, 29:300
EWEL, KATHERINE CARTER, 29:627
FAUROT, JAMES L., 29:503
FELKER, PETER, 29:592
FISHER, EDWARD L., 29:641
FREDERICK, D. J., 29:618
FROELICH, R. C., 29:527
FROST, JOHN S., 29:679
GHOLZ, HENRY L., 29:2 (rev.); 29:846 (rev.)
GILL, R., 29:751
GINTER-WHITHOUSE, DEBORAH L., 29:317
GREBER, BRIAN J., 29:844
GREEN, EDWIN J., 29:712
GROSS, HENRY L., 29:771
HAAS, STEPHEN, 29:858
HAINES, DONALD A., 29:679
HALL, DALE O., 29:833
HAMEL, L., 29:715
HAMMITT, WILLIAM E., 29:262
HARDY, Y. J., 29:715
HAROU, PATRICE A., 29:249
HARRINGTON, CONSTANCE A., 29:33
HARRINGTON, T. C., 29:12
HARRY, DAVID E., 29:660
HAWKSWORTH, FRANK G., 29:66; 29:124
HAYNES, RICHARD W., 29:3; 29:813
HINCKLEY, THOMAS M., 29:317; 29:179 (rev.)
HOF, JOHN G., 29:78; 29:837
HONER, T. G., 29:315 (rev.)
HOPPER, G. M., 29:221
HORSLEY, STEPHEN B., 29:103
HRUBES, ROBERT J., 29:841
HYINK, DAVID M., 29:85
IFF, RONALD H., 29:341
JENKINSON, JAMES L., 29:660
JETT, J. B., 29:696
JOHANSSON, PER-OLOV, 29:439
JOHNSON, K. NORMAN, 29:569
JOLY, R. J., 29:423
KELLY, J. W., 29:837
KENNEDY, JAMES J., 29:241
KIMLOCH, BOHUN B., 29:660
KLEMMEDSON, J. O., 29:871
KLEMPERER, W. DAVID, 29:149
KOCHENDERFER, J. N., 29:545
KOSSUTH, SUSAN V., 29:791
KOZLOWSKI, T. T., 29:739
KREMER, ANTOINE, 29:451
KUBLER, HANS, 29:559
KURODA, K., 29:653
LAARMAN, JAN G., 29:277 (com.)
LAFOND, A., 29:715
LANIER, GERALD N., 29:449 (rev.)
LARSON, PHILIP R., 29:451
LARSSON, S., 29:395
LASSOIE, J. R., 29:535
LAVENDER, D. P., 29:751
LENEY, LAWRENCE, 29:332 (rev.)
LAPOUTRE, BERNARD, 29:403
LEVERENZ, JERRY W., 29:179 (rev.)
LOEGERING, W. Q., 29:215
LÖFGREN, KARL GUSTAF, 29:439
LORIMER, CRAIG G., 29:371
LYON, KENNETH S., 29:798
MACLEAN, D. A., 29:412
MAIN, WILLIAM A., 29:679
MAKI, WILBUR R., 29:384
MALECKI, R. A., 29:535
MAROIS, KATHERINE C., 29:627
MARX, D. B., 29:871
MCCONATHY, R. K., 29:139
MCDONALD, CARY D., 29:262
MEIER, C. E., 29:871
MERRIFIELD, DAVID E., 29:813
MESSINA, M. G., 29:618
MILLER, DAVID R., 29:357
MILLER, RICHARD E., 29:127
MILLER, WILLIAM E., 29:351
MITCHELL, J. E., 29:166
MITCHELL, R. G., 29:204
MONCRIEF, S. M., 29:59
MONTGOMERY, MICHAEL E., 29:848
MORGAN, M. G., 29:412
MOSER, JOHN W., JR., 29:85
MURPHY, PAUL A., 29:582
NANCE, W. L., 29:527
NASH, P., 29:592
NAUTIYAL, J. C., 29:47
NEUROTH, G., 29:357
NORBY, RICHARD J., 29:739
NWOBOSHI, L. CHELUNOR, 29:159
OREN, R., 29:395
OSAWA, AKIRA, 29:478
OSBORN, J. F., 29:592
OVERHULSER, D. L., 29:112
PALLARDY, STEPHEN G., 29:317
PATTON, ROBERT F., 29:771
PEHL, C. E., 29:96
PIENE, H., 29:412
PITMAN, G. B., 29:204
POLK, R. B., 29:215
PRICE, ARNOLD H., 29:329
RADWAN, M. A., 29:469
REECE, J. W., 29:341
REED, K. L., 29:193
REID, C. P. PATRICK, 29:66
REINHART, C., 29:12
RENSI, GIUSEPPE, 29:841
REUKEMA, DONALD L., 29:33
RIEGER, E., 29:535
ROBINSON, VERNON L., 29:641
ROSS, M. S., 29:221; 29:329
ROUSOPOULOS, PETER J., 29:858
RUEHLE, JOHN L., 29:519
RUSTAGI, KRISHNA P., 29:190
SCHAFFER, BRUCE, 29:66; 29:124
SCHALLAU, CON H., 29:384
SCHIER, GEORGE A., 29:499
SCHMIDT, ROBERT A., 29:253
SCHMIDTLING, RONALD C., 29:117
SCHROEDER, W. L., 29:823
SEAMANS, T., 29:535
SEDJO, ROGER A., 29:798
SHARIK, T. L., 29:221; 29:329
SHIMAJI, K., 29:653
SHOEMAKER, CHRISTINE A., 29:478
SHUMWAY, J. S., 29:193; 29:469
SIMARD, ALBERT J., 29:679
SIROIS, DONALD L., 29:341
SMITH, RICHARD H., 29:333
SMITH, S. H., 29:491
SMITH, VICTOR G., 29:279
SNOW, G. A., 29:527
SORENSEN, FRANK C., 29:237
SPRAGUE, J. R., 29:696
SRIVASTAVA, NILIMA, 29:799
STEDINGER, JERY R., 29:478
STELZER, H. E., 29:215
STIER, JEFFREY C., 29:702; 29:842
STUTZMAN, WARREN L., 29:726
SUTHERLAND, JACK R., 29:59
SUTTON, R. F., 29:Monogr. 24
TALBERT, J. T., 29:696
TANAKA, Y., 29:112
TARRANT, ROBERT F., 29:127
TEDDER, PHILIP L., 29:569
TESCH, STEVEN D., 29:503
TESSIER DU CROS, ERIC, 29:403
THIES, W. G., 29:305
THOMPSON, DAVID G., 29:676 (rev.)
THOMSON, A. J., 29:59
THORNBURGH, D. A., 29:12
TINUS, R. W., 29:Monogr. 24
TORGERSEN, TOROLF R., 29:779
TRAPPE, JAMES M., 29:464
URIE, DEAN H., 29:58 (rev.)
VALENTINE, HARRY T., 29:607

[1] (rev.) = book review, (com.) = comment.

KAUL, O. N., and W. D. BILLINGS. 1965. Cation content of stemflow in some forest trees in North Carolina. Indian Forester 91:367–370.

LIKENS, G. E., F. H. BORMANN, N. M. JOHNSON, and R. S. PIERCE. 1967. The calcium, magnesium, potassium, and sodium budgets for a small forested ecosystem. Ecology 48:772–785.

MADGWICK, H. A. I., and J. D. OVINGTON. 1959. The chemical composition of precipitation in adjacent forest and open plots. Forestry 32:14–22.

MATTSON, S., G. SANDBERG, and P. E. TERNING. 1944. Electro-chemistry of soil formation. VI. Atmospheric salts in relation to soil and peat formation and plant composition. Lantbrltogsk Ann 12:101–118.

MAYER, R., and B. ULRICH. 1974. Conclusions on the filtering action of forests from ecosystem analysis. Oecol Plant 9:157–168.

MILLER, H. G., J. M. COOPER, and J. D. MILLER. 1976. Effect of nitrogen supply on nutrients in litter fall and crown leaching in a stand of Corsican Pine. J Appl Ecol 13:233–248.

RAIFFA, H., and R. SCHLAIFER. 1970. Applied statistical decision theory. The MIT Press, Cambridge, Mass. 356 p.

SOLLINS, P., C. C. GRIER, F. M. MCCORISON, K. CROMACK, JR., R. FOGEL, and R. L. FREDRIKSEN. 1980. The internal element cycles of an old-growth Douglas-fir ecosystem in western Oregon. Ecol Monogr 50:261–285.

STARK, N. 1973. Nutrient cycling in a Jeffrey pine ecosystem. Mont Forest and Conserv Exp Stn. 389 p.

STENLID, G. 1958. Salt losses and redistribution of salts in higher plants. *In* Encyclopedia of plant physiology IV. Mineral nutrition of plants (W. Ruhland, ed), p 615–637. Springer-Verlag, Berlin.

STRICKLAND, J. H., and T. R. PARSONS. 1965. A manual of sea water analysis. 2nd ed, rev. Bull Fish Res Bd Canada 125, p 73–78.

TAMM, C. O. 1953. Growth, yield and nutrition in carpets of a forest moss (*Hyclocomium spledens*). Medd Statens Skogsforstn Inst Stockh 43, No 1, 140 p.

THORNE, G. 1955. Nutrient uptake from leaf sprays by crops. Field Crops Abstr 8:147–152.

TIEDEMANN, A. R., J. D. HELVEY, and T. D. ANDERSON. 1980. Effects of chemical defoliation of an *Abies grandis* habitat on amounts and chemistry of throughfall and stemflow. J Environ Qual 9: 320–328.

TUKEY, H. B., JR. 1970. The leaching of substances from plants. *In* Annual review of plant physiology. Vol. 21 (L. Machlis, ed), p 305–325.

WHITEHEAD, W. C., and J. H. FETH. 1964. Chemical composition of rain, dry fallout, and bulk precipitation at Menlo Park, California, 1957–1959. J Geophys Res 69:3319–3333.

WILL, G. M. 1959. Nutrient return in litter and rainfall under some exotic conifer stands in New Zealand. N Z J Agric Res 2:719–734.

WITTWER, S. H., and F. G. TEUBNER. 1959. Foliar absorption of mineral nutrients. Annu Rev Plant Physiol 10:13–32.

WOOD, E. D., F. A. J. ARMSTRONG, and F. A. RICHARDS. 1967. Determination of nitrate in sea water by cadmium-copper reduction to nitrite. J Mar Biol Assn U K 47:23–31.

VAN LEAR, DAVID H., 29:181
VEBLEN, THOMAS T., 29:214 (rev.)
WALKER, R. B., 29:193
WARD, DAROLD E., 29:761
WARGO, PHILIP M., 29:848
WARING, R. H., 29:204; 29:395
WENDEL, G. W., 29:545
WHITE, ALAN S., 29:678 (rev.)
WHITE, DAVID E., 29:844
WOODS, T. A. D., 29:59
WULLSCHLEGER, STAN D., 29:66
YOUNG, H. E., 29:315 (rev.)
ZAERR, JOE B., 29:71
ZAVITKOVSKI, JERRY, 29:138 (rev.); 29:675 (rev.)
ZUURING, HANS R., 29:503

Abies balsamea
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
Variation in balsam fir needle length due to crown position, foliar age, and intertree differences. **29:412**
Abies procera
Insect damage to noble fir seed and the feasibility of protecting cone crops in natural stands. **29:112**
abnormal tissue
Traumatic resin canal formation as a marker of xylem growth. **29:653**
Acer rubrum
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
Acer pensylvanicum
Herbicide treatment of striped maple and beech in Allegheny hardwood stands. **29:103**
Acer saccharum
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
acorn production
Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**
activity planning
Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**
ad valorem property tax
Land use implications of the ad valorem property tax: the role of tax incidence. **29:702**
adventitious shoots
Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**
aeciospores
The phenology of inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine in north Florida and south Georgia. **29:253**
age determinations
A micro-borer for extracting increment cores from small stems of woody plants. **29:329**
age structure
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
Agrilus bilineatus
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
agroforestry
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
air drainage
Cold air drainage in a narrow forested valley. **29:357**
air pollution
Flooding and SO_2 stress interaction in *Betula papyrifera* and *B. nigra* seedlings. **29:739**
alder, red (*see* ***Alnus rubra***)
all-aged stands (*see* **uneven-aged stands**)
Allegheny hardwood stands
Herbicide treatment of striped maple and beech in Allegheny hardwood stands. **29:103**
allozyme analysis
Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**
Alnus rubra
Ecological implications of phytochrome-mediated seed germination in red alder. **29:734**
α-pinene
Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**
Monoterpenes of lodgepole pine xylem resin: a regional study in western United States. **29:333**
ammonium nitrate
Long-term growth response of Douglas-fir to ammonium nitrate fertilizer. **29:127**
analyzing forest resource impact
Interindustry model for analyzing the regional impacts of forest resource and related supply constraints. **29:384**
anearobic
Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**
ant predation
A suggested role for predaceous birds and ants in the population dynamics of the western spruce budworm. **29:771**
Appalachian oak forest
Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**
Arceuthobium americanum
Effects of dwarf mistletoe and vigor classes on electrical resistance in lodgepole pine. **29:124**
Arceuthobium occidentale
Cytokinin-like activity related to host reactions to dwarf mistletoes (*Arceuthobium* spp.). **29:66**
Arceuthobium vaginatum
Cytokinin-like activity related to host reactions to dwarf mistletoes (*Arceuthobium* spp.). **29:66**
arid lands
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
Armillaria mellea
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
aspen (*see* ***Populus tremuloides***)
aspen decomposition rates
Decomposition rates of aspen bole and branch litter. **29:351**
asset yields
Some implications of inflation-caused changes in timing of asset yields. **29:149**
balsam fir (*see* ***Abies balsamea***)
basal area increment
Compatible basal area growth and yield models consistent with forest growth theory. **29:279**
beech (*see* ***Fagus grandifolia; Fagus silvatica***)
beetle, mountain pine (*see* ***Dendroctonus ponderosae***)
β-phellandrene
Monoterpenes of lodgepole pine xylem resin: a regional study in western United States. **29:333**
β-pinene
Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**
Monoterpenes of lodgepole pine xylem resin: a regional study in western United States. **29:333**
Betula nigra
Flooding and SO_2 stress interaction in *Betula papyrifera* and *B. nigra* seedlings. **29:739**
Betula papyrifera
Flooding and SO_2 stress interaction in *Betula papyrifera* and *B. nigra* seedlings. **29:739**

bifenox
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
binary search
Linear programming vs. binary search in periodic harvest level calculation. **29:569**
biomass
Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**
A test of a single disk for estimation of hardwood bole and branch nutrient concentrations. **29:618**
biomass production
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
Growth and nutrient requirements in a teak plantation age series in Nigeria. I. Linear growth and biomass production. **29:159**
birch, paper (*see* ***Betula papyrifera***)
birch, river (*see* ***Betula nigra***)
bird predation
A suggested role for predaceous birds and ants in the population dynamics of the western spruce budworm. **29:779**
black oak, (*see* ***Quercus velutinus***)
black-stain root disease (*see* ***Verticicladiella wageneri***)
black walnut (*see* ***Juglans nigra***)
bole decomposition
Decomposition rates of aspen bole and branch litter. **29:351**
bole nutrient concentration
A test of a single disk for estimation of hardwood bole and branch nutrient concentrations. **29:618**
borer, twolined chestnut (*see* ***Agrilus bilineatus***)
bottomland hardwood forest
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
boundary layer resistance
Tulip-poplar leaf diffusion resistance calculated from stomatal dimensions and varying environmental parameters. **29:139**
branch litter decomposition
Decomposition rates of aspen bole and branch litter. **29:351**
branch nutrient concentration
A test of a single disk for estimation of hardwood bole and branch nutrient concentrations. **29:618**
brown-spot needle blight (*see* ***Scirrhia acicola***)
bud flush rate
Relationship between logarithms of chilling period and germination or bud flush rate is linear for many tree species. **29:237**
bud phenology
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
budbreak
Budbreak and leaf growth functions for modeling herbivory in some gypsy moth hosts. **29:607**
budworm, spruce (*see* ***Choristoneura fumiferana***)
budworm, western spruce (*see* ***Choristoneura occidentalis***)
butt-log defects
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
cambial initial
Traumatic resin canal formation as a marker of xylem growth. **29:653**
Canadian Forest Fire Weather Index
Fire-danger rating and wildfire occurrence in the northeastern United States. **29:679**
canopy gaps
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
capital efficiency
Comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:842**
Reply to comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:844**
carbon dioxide uptake
Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**
Cercidium floridium
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
chemical properties
Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**
chemistry of throughfall and stemflow
Effect of stand composition and seasons on chemistry of throughfall and stemflow of ponderosa pine forests. **29:871**
chestnut oak (*see* ***Quercus prinus***)
chilling period
Relationship between logarithms of chilling period and germination or bud flush rate is linear for many tree species. **29:237**
chokecherry (*see* ***Prunus virginiana***)
Choristoneura fumiferana
The epidemiology of the current spruce budworm outbreak in Ontario. **29:715**
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
Choristoneura occidentalis
A suggested role for predaceous birds and ants in the population dynamics of the western spruce budworm. **29:779**
cleaning effect
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
climatic adaptation
Early growth of sugar pine from an elevational transect. **29:660**
clover, red (*see* ***Trifolium pratense***)
competition
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
competitive stress index
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
Comptonia peregrina
Site character and infection hazard for the sweetfern rust disease in northern Ontario. **29:771**
cone crop protection
Insect damage to noble fir seed and the feasibility of protecting cone crops in natural stands. **29:112**
conjectural equilibrium
Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**
constraint models
Compatible basal area growth and yield models consistent with forest growth theory. **29:279**
container-grown pine
The relationship between lateral-root development and spread of *Pisolithus tinctorius* ectomycorrhizae after planting of container-grown loblolly pine seedlings. **29:519**

container-sown Sitka spruce
Evaluation of seed disease effects in container-grown Sitka spruce. **29:59**
coppice
Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**
cove hardwoods
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
Cronartium comptoniae
Site character and infection hazard for the sweetfern rust disease in northern Ontario. **29:771**
Cronartium quercuum
Size and growth of planted slash pines infected with fusiform rust. **29:527**
Cronartium quercuum* f. sp. *fusiforme
The phenology of inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine in north Florida and south Georgia. **29:253**
cypress, pond (*see* ***Taxodium distichum* var. *nutans***)
cypress domes
Natural and management-related variation in cypress domes. **29:627**
cytokinins
Cytokinin-like activity related to host reactions to dwarf mistletoes (*Arceuthobium* spp.). **29:66**
Dactylis glomerata
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
DCPA
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
decision analysis
Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**
decline
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
decomposition rates
Decomposition rates of aspen bole and branch litter. **29:351**
defect distribution
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
defoliation
Budbreak and leaf growth functions for modeling herbivory in some gypsy moth hosts. **29:607**
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
deforested watershed
Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**
demand
An evaluation of three simplified approaches to modeling the regional demand for National Forest stumpage. **29:3**
Production function analysis and market adjustments: an application to the Pacific Northwest forest products industry. **29:813**
demand elasticities
An approach to estimating demand for national forest timber. **29:289**
Dendroctonus ponderosae
Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. **29:395**
Thinning lodgepole pine increases tree vigor and resistance to mountain pine beetle. **29:204**
density
Compatible basal area growth and yield models consistent with forest growth theory. **29:279**
desertification
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
diameter distribution
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
diameter distributions
A generalized framework for projecting forest yield and stand structure using diameter distributions. **29:85**
diameter growth
Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**
diameter growth estimating
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
dieback
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
diffusion resistance
Tulip-poplar leaf diffusion resistance calculated from stomatal dimensions and varying environmental parameters. **29:139**
discount rate
A note on the real rate of discount. **29:249**
disease
Association of black-stain root disease with precommercial thinning of Douglas-fir. **29:12**
Determination of growth reduction in Douglas-fir infected by *Phellinus weirii*. **29:305**
Size and growth of planted slash pines infected with fusiform rust. **29:527**
disease effects
Evaluation of seed disease effects in container-grown Sitka spruce. **29:59**
disease resistance rating
Rapid method of rating forest trees for general resistance to foliar pathogens. **29:215**
disk nutrient evaluation
A test of a single disk for estimation of hardwood bole and branch nutrient concentrations. **29:618**
disturbance effects
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
diurnal patterns
Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**
Douglas-fir (*see* ***Pseudotsuga menziesii***)
Douglas-fir seedling growth
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
Evaluation of the interaction of two environmental factors affecting Douglas-fir seedling growth: light and nitrogen. **29:193**
dwarf mistletoe (*see* ***Arceuthobium* spp.**)
***Earomyia* spp.**
Insect damage to noble fir seed and the feasibility of protecting cone crops in natural stands. **29:112**
eastern redcedar (*see* ***Juniperus virginiana***)
economic optimization
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
ectomycorrhizae
The relationship between lateral-root development and spread of *Pisolithus tinctorius* ectomycorrhizae after planting of container-grown loblolly pine seedlings. **29:519**
elasticities
United States demand for hardwood plywood imports by country of origin. **29:225**
electrical resistance
Effects of dwarf mistletoe and vigor classes on electrical resistance in lodgepole pine. **29:124**

electronic measurement
Microwave attenuation as an indicator of sampling weight of herbaceous and woody plants in the field. **29:726**
element
Decomposition rates of aspen bole and branch litter. **29:351**
elevation effect
Early growth of sugar pine from an elevational transect. **29:660**
energy input
The energy input in Norwegian forestry. **29:300**
energy inputs
Comparing management alternatives with low and high energy input levels for Florida slash pine plantations. **29:78**
environmental impact
Past on-site experience and its relationship to managing river recreation resources. **29:262**
epidemiology
The epidemiology of the current spruce budworm outbreak in Ontario. **29:715**
The phenology of inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine in north Florida and south Georgia. **29:253**
estimating timber demand
An approach to estimating demand for national forest timber. **29:289**
estimation accuracy
A test of a single disk for estimation of hardwood bole and branch nutrient concentrations. **29:618**
ethanol
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
evaluation of training
Evaluation of a U.S. Forest Service management by objectives training session. **29:241**
even-aged stands
Financial maturity for even-aged and all-aged stands. **29:833**
excess demand
Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**
experience index
Past on-site experience and its relationship to managing river recreation resources. **29:262**
Fagus grandifolia
Herbicide treatment of striped maple and beech in Allegheny hardwood stands. **29:103**
Fagus silvatica
Soil × provenance interaction in beech (*Fagus silvatica* L.). **29:403**
fertilizer application
Long-term growth response of Douglas-fir to ammonium nitrate fertilizer. **29:127**
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
fertilizer effect
Urea fertilization: effects on primary root mortality and mycorrhizal development of young-growth western hemlock. **29:751**
financial maturity
Financial maturity for even-aged and all-aged stands. **29:833**
financial maturity theory
Towards a method of uneven-aged forest management based on the theory of financial maturity. **29:47**
fir, balsam (*see* ***Abies balsamea***)
fir, noble (*see* ***Abies procera***)
fire-danger rating
Fire-danger rating and wildfire occurrence in the northeastern United States. **29:679**
fire management
Particulate matter emissions for fires in the palmetto-gallberry fuel type. **29:761**
fixed income investments
Some implications of inflation-caused changes in timing of asset yields. **29:149**
flooding, artificial
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
flooding effect
Flooding and SO_2 stress interaction in *Betula papyrifera* and *B. nigra* seedlings. **29:739**
Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**
flow resistance
Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**
flowering
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
foliage characteristics
Variation in balsam fir needle length due to crown position, foliar age, and intertree differences. **29:412**
foliar pathogens
Rapid method of rating forest trees for general resistance to foliar pathogens. **29:215**
forest disease
Size and growth of planted slash pines infected with fusiform rust. **29:527**
forest economics
Implications of goal programming in forest resource allocation: a reply. **29:837**
Implications of goal programming in forest resource allocation: a rejoinder. **29:841**
forest engineering
The effects of a geometric redefinition of the classical road and landing spacing model through shifting. **29:670**
forest fertilization
Long-term growth response of Douglas-fir to ammonium nitrate fertilizer. **29:127**
forest floor
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
forest fuels
Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**
forest management
Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**
Linear programming vs. binary search in periodic harvest level calculation. **29:569**
Soil properties for slope stability analysis; Oregon and Washington coastal mountains. **29:823**
Towards a method of uneven-aged forest management based on the theory of financial maturity. **29:47**
forest plantations
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
forest products
Comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:842**
Reply to comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:844**
United States demand for hardwood plywood imports by country of origin. **29:225**
forest products industry
Production function analysis and market adjustments: an application to the Pacific Northwest forest products industry. **29:813**

forest resource allocation
Implications of goal programming in forest resource allocation: a reply. **29:837**
Implications of goal programming in forest resource allocation: a rejoinder. **29:841**
forest resources
Interindustry model for analyzing the regional impacts of forest resource and related supply constraints. **29:384**
forest value
Financial maturity for even-aged and all-aged stands. **29:833**
forest yield
A generalized framework for projecting forest yield and stand structure using diameter distributions. **29:85**
forestry energy input
The energy input in Norwegian forestry. **29:300**
forestry investment
A note on the real rate of discount. **29:249**
forestry operations research
Comparing management alternatives with low and high energy input levels for Florida slash pine plantations. **29:78**
Fosberg Fire Weather Index
Fire-danger rating and wildfire occurrence in the northeastern United States. **29:679**
Fraxinus pennsylvanica
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
freeze-expansion
Mechanism of frost crack formation in trees—a review and synthesis. **29:559**
frost crack formation
Mechanism of frost crack formation in trees—a review and synthesis. **29:559**
fruiting
Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**
fuel management
Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**
fuelwood
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
fusiform rust (*see* ***Cronartium quercuum***)
Gambel oak (*see* ***Quercus gambelii***)
genetic control
Genetic control of height growth components in jack pine seedlings. **29:451**
genetic marker
Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**
genetic variation
Early growth of sugar pine from an elevational transect. **29:660**
germination rate
Relationship between logarithms of chilling period and germination or bud flush rate is linear for many tree species. **29:237**
germination strategy
Ecological implications of phytochrome-mediated seed germination in red alder. **29:734**
goal programming
Implications of goal programming in forest resource allocation: a reply. **29:837**
Implications of goal programming in forest resource allocation: a rejoinder. **29:841**
graft combinations
Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**
grafts
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
grass, orchard (*see* ***Dactylis glomerata***)
grass seeding
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
green timber impoundment
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
Greenwood's statistic
Two methods for evaluating spatial pattern in naturally regenerated loblolly pine stands. **29:514**
ground cover
Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**
growing space
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
growing space polygon
Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**
growth
Growth and nutrient requirements in a teak plantation age series in Nigeria. I. Linear growth and biomass production. **29:159**
Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
growth and yield
A generalized framework for projecting forest yield and stand structure using diameter distributions. **29:85**
A nonlinear timber yield equation system for loblolly pine. **29:582**
growth models
Compatible basal area growth and yield models consistent with forest growth theory. **29:279**
growth of seedlings
Early growth of sugar pine from an elevational transect. **29:660**
growth reduction
Determination of growth reduction in Douglas-fir infected by *Phellinus weirii*. **29:305**
growth response
Long-term growth response of Douglas-fir to ammonium nitrate fertilizer. **29:127**
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
gypsy moth (*see* ***Lymantria dispar***)
hardwood competition
Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**
hardwood defects
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
hardwood forest
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
hardwood nutrient concentration
A test of a single disk for estimation of hardwood bole and branch nutrient concentrations. **29:618**
hardwood plywood imports
United States demand for hardwood plywood imports by country of origin. **29:225**
hardwood stands
Herbicide treatment of striped maple and beech in Allegheny hardwood stands. **29:103**
harvest scheduling
Comparing management alternatives with low and high energy input levels for Florida slash pine plantations. **29:78**

Linear programming vs. binary search in periodic harvest level calculation. **29:569**
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
hazard
Fire-danger rating and wildfire occurrence in the northeastern United States. **29:679**
heat/drought stress
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
height growth
Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**
Size and growth of planted slash pines infected with fusiform rust. **29:527**
Variations in height-over-age curves for young longleaf pine plantations. **29:15**
height growth components
Genetic control of height growth components in jack pine seedlings. **29:451**
hemlock, Japanese (*see* ***Tsuga sieboldii***)
hemlock, western (*see* ***Tsuga heterophylla***)
herbicide treatment
Herbicide treatment of striped maple and beech in Allegheny hardwood stands. **29:103**
herbicided watershed
Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**
herbicides
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
herbivory (gypsy moth hosts)
Budbreak and leaf growth functions for modeling herbivory in some gypsy moth hosts. **29:607**
highlead yarding
A model of turn-time requirements in a highlead yarding system. **29:641**
host response
Cytokinin-like activity related to host reactions to dwarf mistletoes (*Arceuthobium* spp.). **29:66**
hybrid identification
Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**
hybrids
Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**
hydrologic recovery
Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**
hydrology
Natural and management-related variation in cypress domes. **29:627**
ice lenses
Mechanism of frost crack formation in trees—a review and synthesis. **29:559**
ice separation
Mechanism of frost crack formation in trees—a review and synthesis. **29:559**
ignition
Fire-danger rating and wildfire occurrence in the northeastern United States. **29:679**
increment borer
A micro-borer for extracting increment cores from small stems of woody plants. **29:329**
infection hazard
Site character and infection hazard for the sweetfern rust disease in northern Ontario. **29:771**
inflation
A note on the real rate of discount. **29:249**
inflation effect
Some implications of inflation-caused changes in timing of asset yields. **29:149**
influence zone
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
initial spacing
Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**
inoculum potential
The phenology of inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine in north Florida and south Georgia. **29:253**
input/output supply model
Interindustry model for analyzing the regional impacts of forest resource and related supply constraints. **29:384**
insect attack
Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. **29:395**
insect damage
Insect damage to noble fir seed and the feasibility of protecting cone crops in natural stands. **29:112**
insect outbreak
The epidemiology of the current spruce budworm outbreak in Ontario. **29:715**
insect resistance
Thinning lodgepole pine increases tree vigor and resistance to mountain pine beetle. **29:204**
intensive management
Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**
interest rate effect
Rotation age, management intensity, and the economic factors of timber production: do changes in stumpage price, interest rate, regeneration cost, and forest taxation matter? **29:267**
interindustry model
Interindustry model for analyzing the regional impacts of forest resource and related supply constraints. **29:384**
international trade
United States demand for hardwood plywood imports by country of origin. **29:225**
intertree competition
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
investments
Some implications of inflation-caused changes in timing of asset yields. **29:149**
iron
Natural and management-related variation in cypress domes. **29:627**
jack pine (*see* ***Pinus banksiana***)
Japanese hemlock (*see* ***Tsuga sieboldii***)
Juglans nigra
Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**
Juniperus virginiana
Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**
katabatic flow
Cold air drainage in a narrow forested valley. **29:357**
labor productivity
Comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:842**
Reply to comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:844**
lammas growth
Early growth of sugar pine from an elevational transect. **29:660**

land expectation value
Financial maturity for even-aged and all-aged stands. **29:833**
land management planning
Implications of goal programming in forest resource allocation: a reply. **29:837**
Implications of goal programming in forest resource allocation: a rejoinder. **29:841**
land use property tax effect
Land use implications of the ad valorem property tax: the role of tax incidence. **29:702**
landing shift effect
The effects of a geometric redefinition of the classical road and landing spacing model through shifting. **29:670**
landslides
Soil properties for slope stability analysis; Oregon and Washington coastal mountains. **29:823**
lateral-root development
The relationship between lateral-root development and spread of *Pisolithus tinctorius* ectomycorrhizae after planting of container-grown loblolly pine seedlings. **29:519**
leaf diffusion resistance
Tulip-poplar leaf diffusion resistance calculated from stomatal dimensions and varying environmental parameters. **29:139**
leaf growth functions
Budbreak and leaf growth functions for modeling herbivory in some gypsy moth hosts. **29:607**
Leontief model
Interindustry model for analyzing the regional impacts of forest resource and related supply constraints. **29:384**
Leucaena leucocephala
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
light-nitrogen interaction
Evaluation of the interaction of two environmental factors affecting Douglas-fir seedling growth: light and nitrogen. **29:193**
light sensitivity
Ecological implications of phytochrome-mediated seed germination in red alder. **29:734**
linear and nonlinear regression
Site character and infection hazard for the sweetfern rust disease in northern Ontario. **29:771**
linear programming
Implications of goal programming in forest resource allocation: a reply. **29:837**
Implications of goal programming in forest resource allocation: a rejoinder. **29:841**
Linear programming vs. binary search in periodic harvest level calculation. **29:569**
Liriodendron tulipifera
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
Tulip-poplar leaf diffusion resistance calculated from stomatal dimensions and varying environmental parameters. **29:139**
loblolly pine (*see* *Pinus taeda*)
lodgepole pine (*see* *Pinus contorta*)
logarithmic relationship
Relationship between logarithms of chilling period and germination or bud flush rate is linear for many tree species. **29:237**
logging
The effects of a geometric redefinition of the classical road and landing spacing model through shifting. **29:670**
A model of turn-time requirements in a highlead yarding system. **29:641**
longleaf pine (*see* *Pinus palustris*)
long-term timber production
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
lumber industry
Comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:842**
Reply to comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:844**
Lymantria dispar
Budbreak and leaf growth functions for modeling herbivory in some gypsy moth hosts. **29:607**
management alternatives
Comparing management alternatives with low and high energy input levels for Florida slash pine plantations. **29:78**
management by objectives (MBO)
Evaluation of a U.S. Forest Service management by objectives training session. **29:241**
management intensity
Rotation age, management intensity, and the economic factors of timber production: do changes in stumpage price, interest rate, regeneration cost, and forest taxation matter? **29:267**
maple, red (*see* *Acer rubrum*)
maple, striped (*see* *Acer pensylvanicum*)
maple, sugar (*see* *Acer saccharum*)
marginal analysis
Financial maturity for even-aged and all-aged stands. **29:833**
market equilibrium
Production function analysis and market adjustments: an application to the Pacific Northwest forest products industry. **29:813**
mass-pollination
Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**
mass wasting
Soil properties for slope stability analysis; Oregon and Washington coastal mountains. **29:823**
mast production
Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**
mathematical model
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
mathematical models
A generalized framework for projecting forest yield and stand structure using diameter distributions. **29:85**
A nonlinear timber yield equation system for loblolly pine. **29:582**
measurement, electronic
Microwave attenuation as an indicator of sampling weight of herbaceous and woody plants in the field. **29:726**
Megastigmus pinus
Insect damage to noble fir seed and the feasibility of protecting cone crops in natural stands. **29:112**
mesquite (*see* *Prosopis*)
micro-borer
A micro-borer for extracting increment cores from small stems of woody plants. **29:329**
microwave attenuation
Microwave attenuation as an indicator of sampling weight of herbaceous and woody plants in the field. **29:726**
mineral soil
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
mistletoe, dwarf (*see* *Arceuthobium americanum*; *Arceuthobium* spp.)

mixed-species forest
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
mixed-wood stand
Microwave attenuation as an indicator of sampling weight of herbaceous and woody plants in the field. **29:726**
model
Production function analysis and market adjustments: an application to the Pacific Northwest forest products industry. **29:813**
model selection
Evaluating the predictive abilities of regressions with PRESS. **29:712**
modeling demand
An evaluation of three simplified approaches to modeling the regional demand for National Forest stumpage. **29:3**
models
Compatible basal area growth and yield models consistent with forest growth theory. **29:279**
monopsony
Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**
monoterpene content
Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**
monoterpenes
Monoterpenes of lodgepole pine xylem resin: a regional study in western United States. **29:333**
mortality
Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. **29:395**
mountain pine beetle (*see* ***Dendroctonus ponderosae***)
mycorrhizae
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
Urea fertilization: effects on primary root mortality and mycorrhizal development of young-growth western hemlock. **29:751**
mycorrhizal fungi
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
Myrica gale
Site character and infection hazard for the sweetfern rust disease in northern Ontario. **29:771**
napropamide
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
National Fire-Danger Rating System
Fire-danger rating and wildfire occurrence in the northeastern United States. **29:679**
National Forest supply
An evaluation of three simplified approaches to modeling the regional demand for National Forest stumpage. **29:3**
national forest timber
An approach to estimating demand for national forest timber. **29:289**
needle blight, brown-spot (*see* ***Scirrhia acicola***)
needle length
Variation in balsam fir needle length due to crown position, foliar age, and intertree differences. **29:412**
night slope temperatures
Cold air drainage in a narrow forested valley. **29:357**
nitrate
Long-term growth response of Douglas-fir to ammonium nitrate fertilizer. **29:127**
nitrogen
Natural and management-related variation in cypress domes. **29:627**
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
nitrogen fertilizer response
Urea fertilization: effects on primary root mortality and mycorrhizal development of young-growth western hemlock. **29:751**
nitrogen-light interaction
Evaluation of the interaction of two environmental factors affecting Douglas-fir seedling growth: light and nitrogen. **29:193**
noble fir (*see* ***Abies procera***)
nonlinear yield equation system
A nonlinear timber yield equation system for loblolly pine. **29:582**
northern hardwood
Microwave attenuation as an indicator of sampling weight of herbaceous and woody plants in the field. **29:726**
northern red oak (*see* ***Quercus rubra***)
Norway spruce (*see* ***Picea abies***)
Norwegian energy use
The energy input in Norwegian forestry. **29:300**
nursery herbicides
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
nursery management
Evaluation of seed disease effects in container-grown Sitka spruce. **29:59**
nutrient concentration
A test of a single disk for estimation of hardwood bole and branch nutrient concentrations. **29:618**
nutrient cycling
Effect of stand composition and seasons on chemistry of throughfall and stemflow of ponderosa pine forests. **29:871**
nutrients
Decomposition rates of aspen bole and branch litter. **29:351**
Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
oak (*see* ***Quercus* spp.**)
oak, black (*see* ***Quercus velutinus***)
oak, chestnut (*see* ***Quercus prinus***)
oak, Gambel (*see* ***Quercus gambelii***)
oak, northern red (*see* ***Quercus rubra***)
oak, white (*see* ***Quercus alba***)
oak forest
Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**
oak regeneration
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
old-growth inventories
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
Olneya tesota
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
operations research
Implications of goal programming in forest resource allocation: a reply. **29:837**
Implications of goal programming in forest resource allocation: a rejoinder. **29:841**

optimal rotation
Towards a method of uneven-aged forest management based on the theory of financial maturity. **29:47**
optimization
Implications of goal programming in forest resource allocation: a reply. **29:837**
Implications of goal programming in forest resource allocation: a rejoinder. **29:841**
optimum control theory
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
orchard grass (*see* ***Dactylis glomerata***)
organizational change
Evaluation of a U.S. Forest Service management by objectives training session. **29:241**
palmetto-gallberry fuel type
Particulate matter emissions for fires in the palmetto-gallberry fuel type. **29:761**
paper birch (*see* ***Betula papyrifera***)
Parkinsonia aculeata
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
particulate matter
Particulate matter emissions for fires in the palmetto-gallberry fuel type. **29:761**
path coefficient
Genetic control of height growth components in jack pine seedlings. **29:451**
pathogen resistance
Rapid method of rating forest trees for general resistance to foliar pathogens. **29:215**
periodic harvest level calculation
Linear programming vs. binary search in periodic harvest level calculation. **29:569**
personnel training
Evaluation of a U.S. Forest Service management by objectives training session. **29:241**
Phellinus* (*Poria*) *weirii
Determination of growth reduction in Douglas-fir infected by *Phellinus weirii*. **29:305**
phenology
Budbreak and leaf growth functions for modeling herbivory in some gypsy moth hosts. **29:607**
The phenology of inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine in north Florida and south Georgia. **29:253**
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
Phleum pratense
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
phosphorus
Natural and management-related variation in cypress domes. **29:627**
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
photogrammetry system
An inexpensive photogrammetry system for obtaining 3-D spatial coordinates in dynamic testing conditions. **29:341**
photosynthesis
Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**
phytochrome-mediated seed germination
Ecological implications of phytochrome-mediated seed germination in red alder. **29:734**
Picea abies
Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**
Picea sitchensis
Evaluation of seed disease effects in container-grown Sitka spruce. **29:59**
Pilodyn Wood Tester
Utility of the Pilodyn in selection for mature wood specific gravity in loblolly pine. **29:696**
pine, jack (*see* ***Pinus banksiana***)
pine, loblolly (*see* ***Pinus taeda***)
pine, lodgepole (*see* ***Pinus contorta***)
pine, longleaf (*see* ***Pinus palustris***)
pine, pitch (*see* ***Pinus rigida***)
pine, ponderosa (*see* ***Pinus ponderosa***)
pine, red (*see* ***Pinus resinosa***)
pine, sand (*see* ***Pinus clausa***)
pine, Scots (*see* ***Pinus sylvestris***)
pine, slash (*see* ***Pinus elliottii***)
pine, sugar (*see* ***Pinus lambertiana***)
pine beetle, mountain (*see* ***Dendroctonus ponderosae***)
pine plantation site-prepared
Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**
pine stands
Two methods for evaluating spatial pattern in naturally regenerated loblolly pine stands. **29:514**
pinene
Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**
pinning method
Traumatic resin canal formation as a marker of xylem growth. **29:653**
Pinus banksiana
Genetic control of height growth components in jack pine seedlings. **29:451**
Site character and infection hazard for the sweetfern rust disease in northern Ontario. **29:771**
Pinus clausa
Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**
Pinus contorta
Effects of dwarf mistletoe and vigor classes on electrical resistance in lodgepole pine. **29:124**
Monoterpenes of lodgepole pine xylem resin: a regional study in western United States. **29:333**
Thinning lodgepole pine increases tree vigor and resistance to mountain pine beetle. **29:204**
Pinus densiflora
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
Pinus echinata
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
Pinus elliottii
Comparing management alternatives with low and high energy input levels for Florida slash pine plantations. **29:78**
Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**
Natural and management-related variation in cypress domes. **29:627**
The phenology of inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine in north Florida and south Georgia. **29:253**
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
Size and growth of planted slash pines infected with fusiform rust. **29:527**
Pinus glabra
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
Pinus lambertiana
Early growth of sugar pine from an elevational transect. **29:660**
Pinus palustris

Variations in height-over-age curves for young longleaf pine plantations. **29:15**

Pinus ponderosa

Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. **29:395**

Cytokinin-like activity related to host reactions to dwarf mistletoes (*Arceuthobium* spp.). **29:66**

Effect of stand composition and seasons on chemistry of throughfall and stemflow of ponderosa pine forests. **29:871**

Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**

Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**

Rapid method of rating forest trees for general resistance to foliar pathogens. **29:215**

Pinus resinosa

Compatible basal area growth and yield models consistent with forest growth theory. **29:279**

Pinus rigida

Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**

Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**

Pinus sabiniana

Cytokinin-like activity related to host reactions to dwarf mistletoes (*Arceuthobium* spp.). **29:66**

Pinus serotina

Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**

Pinus sylvestris

Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**

Pinus taeda

Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**

A nonlinear timber yield equation system for loblolly pine. **29:582**

Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**

Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**

The relationship between lateral-root development and spread of *Pisolithus tinctorius* ectomycorrhizae after planting of container-grown loblolly pine seedlings. **29:519**

Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**

Two methods for evaluating spatial pattern in naturally regenerated loblolly pine stands. **29:514**

Utility of the Pilodyn in selection for mature wood specific gravity in loblolly pine. **29:696**

Pinus virginiana

Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**

Pisolithus tinctorius

The relationship between lateral-root development and spread of *Pisolithus tinctorius* ectomycorrhizae after planting of container-grown loblolly pine seedlings. **29:519**

pitch pine (*see* ***Pinus rigida***)

plant succession

Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**

plantation height curves

Variations in height-over-age curves for young longleaf pine plantations. **29:15**

plantation intensively prepared

Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**

plantation management

Comparing management alternatives with low and high energy input levels for Florida slash pine plantations. **29:78**

plantation teak growth

Growth and nutrient requirements in a teak plantation age series in Nigeria. I. Linear growth and biomass production. **29:159**

plantation thinning

Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**

plantation yield predicting

Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**

planted watersheds

Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**

planting intensity

Rotation age, management intensity, and the economic factors of timber production: do changes in stumpage price, interest rate, regeneration cost, and forest taxation matter? **29:267**

plywood import demand

United States demand for hardwood plywood imports by country of origin. **29:225**

pollen pool

Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**

pollination, mass

Allozyme analysis of pitch × loblolly pine hybrids produced by supplemental mass-pollination. **29:423**

pond cypress (*see* ***Taxodium distichum* var. *nutans***)

ponderosa pine (*see* ***Pinus ponderosa***)

population dynamics

A suggested role for predaceous birds and ants in the population dynamics of the western spruce budworm. **29:779**

population ecology

A micro-borer for extracting increment cores from small stems of woody plants. **29:329**

Populus tremuloides

Decomposition rates of aspen bole and branch litter. **29:351**

Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**

precipitation

Effect of stand composition and seasons on chemistry of throughfall and stemflow of ponderosa pine forests. **29:871**

precommercial thinning

Association of black-stain root disease with precommercial thinning of Douglas-fir. **29:12**

Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**

predation

A suggested role for predaceous birds and ants in the population dynamics of the western spruce budworm. **29:779**

predicting plantation yield

Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**

prediction model selection

Evaluating the predictive abilities of regressions with PRESS. **29:712**

prescribed burn

Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**

PRESS

Evaluating the predictive abilities of regressions with PRESS. **29:712**

price discrimination

Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**

probability model
Evaluation of seed disease effects in container-grown Sitka spruce. **29:59**
production functions
Production function analysis and market adjustments: an application to the Pacific Northwest forest products industry. **29:813**
productivity growth
Comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:842**
Reply to comment by Jeffrey C. Stier on "Technical change and productivity growth in the lumber and wood products industry." **29:844**
professional development
Evaluation of a U.S. Forest Service management by objectives training session. **29:241**
property tax effect
Land use implications of the ad valorem property tax: the role of tax incidence. **29:702**
***Prosopis* spp.**
Biomass production of *Prosopis* species (mesquite), Leucaena, and other leguminous trees grown under heat/drought stress. **29:592**
provenance/soil interaction
Soil × provenance interaction in beech (*Fagus silvatica* L.). **29:403**
pruning
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
Prunus virginiana
Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**
Pseudotsuga menziesii
Association of black-stain root disease with precommercial thinning of Douglas-fir. **29:12**
Determination of growth reduction of Douglas-fir infected by *Phellinus weirii*. **29:305**
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**
Evaluation of the interaction of two environmental factors affecting Douglas-fir seedling growth: light and nitrogen. **29:193**
Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**
Long-term growth response of Douglas-fir to ammonium nitrate fertilizer. **29:127**
Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
public administration
Evaluation of a U.S. Forest Service management by objectives training session. **29:241**
quantity constraints
Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**
***Quercus* spp.**
Effect of intensive cleaning on natural pruning of cove hardwoods in the southern Appalachians. **29:27**
Quercus alba
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**
Quercus bicolor
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
Quercus gambelii
Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**
Quercus prinus
Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**
Quercus rubra
Eighty-year development of northern red oak after partial cutting in a mixed-species Wisconsin forest. **29:371**
Quercus velutinus
Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**
random sampling
Determination of sample size in simple random sampling. **29:190**
real rate of discount
A note on the real rate of discount. **29:249**
recreation behavior
Past on-site experience and its relationship to managing river recreation resources. **29:262**
red alder (*see* ***Alnus rubra***)
redcedar, eastern (*see* ***Juniperus virginiana***)
red clover (*see* ***Trifolium pratense***)
red maple (*see* ***Acer rubrum***)
red oak, northern (*see* ***Quercus rubra***)
red pine (*see* ***Pinus resinosa***)
reflexive neighbor relationship
Two methods for evaluating spatial pattern in naturally regenerated loblolly pine stands. **29:514**
regenerated pine stands
Two methods for evaluating spatial pattern in naturally regenerated loblolly pine stands. **29:514**
regeneration
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**
Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**
regression use
Evaluating the predictive abilities of regressions with PRESS. **29:712**
resin canal formation
Traumatic resin canal formation as a marker of xylem growth. **29:653**
resource impacts
Past on-site experience and its relationship to managing river recreation resources. **29:262**
resource modeling
Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**
respacing
Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**
rhizomes
Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**
risk
Fire-danger rating and wildfire occurrence in the northeastern United States. **29:679**
river birch (*see* ***Betula nigra***)
river recreation
Past on-site experience and its relationship to managing river recreation resources. **29:262**
road and landing spacing
The effects of a geometric redefinition of the classical road and landing spacing model through shifting. **29:670**
root configuration
The relationship between lateral-root development and spread of *Pisolithus tinctorius* ectomycorrhizae af-

ter planting of container-grown loblolly pine seedlings. **29:519**

root disease

Association of black-stain root disease with precommercial thinning of Douglas-fir. **29:12**

Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**

root growth

Effects of the herbicides bifenox, DCPA, and napropamide on mycorrhiza development of ponderosa pine and Douglas-fir seedlings in six western nurseries. **29:464**

root mortality

Urea fertilization: effects on primary root mortality and mycorrhizal development of young-growth western hemlock. **29:751**

root suckers

Vegetation regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**

roots

Roots and root system terminology. **29:Monogr. 24**

rootstock

Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**

rootstock influence

Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**

rotation age

Rotation age, management intensity, and the economic factors of timber production: do changes in stumpage price, interest rate, regeneration cost, and forest taxation matter? **29:267**

roundwood market

Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**

rust, sweetfern (*see* ***Cronartium comptoniae***)

rust infection

Size and growth of planted slash pines infected with fusiform rust. **29:527**

sample size

Determination of sample size in simple random sampling. **29:190**

sand pine ***(see Pinus clausa)***

scion

Monoterpene content of healthy sand pine and sand pine with root disease. **29:791**

Scirrhia acicola

Rapid method of rating forest trees for general resistance to foliar pathogens. **29:215**

Scots pine (*see* ***Pinus sylvestris***)

seasonal patterns

Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**

secondary organisms

Colonization by *Armillaria mellea* and *Agrilus bilineatus* of oaks injected with ethanol. **29:848**

sediment yield

Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**

seed-destroying insects

Insect damage to noble fir seed and the feasibility of protecting cone crops in natural stands. **29:112**

seed disease effects

Evaluation of seed disease effects in container-grown Sitka spruce. **29:59**

seed germination

Ecological implications of phytochrome-mediated seed germination in red alder. **29:734**

seed production

Early fruiting in chestnut oak (*Quercus prinus* L.). **29:221**

seed weight

Genetic control of height growth components in jack pine seedlings. **29:451**

seedling growth

Early growth of sugar pine from an elevational transect. **29:660**

Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**

Evaluation of the interaction of two environmental factors affecting Douglas-fir seedling growth: light and nitrogen. **29:193**

seedling height growth

Genetic control of height growth components in jack pine seedlings. **29:451**

shoot elongation

Short-term flooding and net photosynthesis in seedlings of three conifers. **29:71**

shoot production

Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**

shrinkage

Mechanism of frost crack formation in trees—a review and synthesis. **29:559**

silvicultural prescriptions

Decision analysis of silvicultural prescriptions and fuel management practices on an intensively managed commercial forest. **29:858**

silviculture

Long-term growth response of Douglas-fir to ammonium nitrate fertilizer. **29:127**

simulation

Linear programming vs. binary search in periodic harvest level calculation. **29:569**

site burden

Land use implications of the ad valorem property tax: the role of tax incidence. **29:702**

site character

Site character and infection hazard for the sweetfern rust disease in northern Ontario. **29:771**

site index

Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**

Variations in height-over-age curves for young longleaf pine plantations. **29:15**

site index-spacing relationship

Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**

site preparation

Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**

Variations in height-over-age curves for young longleaf pine plantations. **29:15**

Sitka spruce (*see* ***Picea sitchensis***)

skidding

Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**

slash pine (*see* ***Pinus elliottii***)

slash pine plantations

Comparing management alternatives with low and high energy input levels for Florida slash pine plantations. **29:78**

Natural and management-related variation in cypress domes. **29:627**

slope stability analysis

Soil properties for slope stability analysis; Oregon and Washington coastal mountains. **29:823**

slope temperature variation

Cold air drainage in a narrow forested valley. **29:357**

smoke production

Particulate matter emissions for fires in the palmetto-gallberry fuel type. **29:761**

soil expectation value
Financial maturity for even-aged and all-aged stands. **29:833**
soil properties
Soil properties for slope stability analysis; Oregon and Washington coastal mountains. **29:823**
soil/provenance interaction
Soil × provenance interaction in beech (*Fagus silvatica* L.). **29:403**
spacing
Variation in balsam fir needle length due to crown position, foliar age, and intertree differences. **29:412**
spacing-site index relationship
Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**
spatial coordinates, 3-D
An inexpensive photogrammetry system for obtaining 3-D spatial coordinates in dynamic testing conditions. **29:341**
spatial pattern evaluation
Two methods for evaluating spatial pattern in naturally regenerated loblolly pine stands. **29:514**
specific conductance
Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**
specific gravity
Decomposition rates of aspen bole and branch litter. **29:351**
specific gravity determination
Utility of the Pilodyn in selection for mature wood specific gravity in loblolly pine. **29:696**
sporulation
The phenology of inoculum production by *Cronartium quercuum* f. sp. *fusiforme* on slash pine in north Florida and south Georgia. **29:253**
spruce, Norway (*see* ***Picea abies***)
spruce, Sitka (*see* ***Picea sitchensis***)
spruce budworm (*see* ***Choristoneura fumiferana***)
spruce budworm, western (*see* ***Choristoneura occidentalis***)
spruce budworm defoliation
Variation in balsam fir needle length due to crown position, foliar age, and intertree differences. **29:412**
spruce-fir
Microwave attenuation as an indicator of sampling weight of herbaceous and woody plants in the field. **29:726**
stand condition effect
Effect of stand composition and seasons on chemistry of throughfall and stemflow of ponderosa pine forests. **29:871**
stand density
Performance to age ten of a loblolly pine plantation on an intensively prepared site in the Georgia Piedmont. **29:96**
Variations in height-over-age curves for young longleaf pine plantations. **29:15**
stand development
Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**
stand growth
Compatible basal area growth and yield models consistent with forest growth theory. **29:279**
stand models
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
stand structure
A generalized framework for projecting forest yield and stand structure using diameter distributions. **29:85**
statics analysis
Rotation age, management intensity, and the economic factors of timber production: do changes in stumpage price, interest rate, regeneration cost, and forest taxation matter? **29:267**
statistical analysis
A nonlinear timber yield equation system for loblolly pine. **29:582**
statistical estimation
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
stem units
Genetic control of height growth components in jack pine seedlings. **29:451**
stemflow
Effect of stand composition and seasons on chemistry of throughfall and stemflow of ponderosa pine forests. **29:871**
stochastic model
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
stocking
Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. **29:395**
stomata
Tulip-poplar leaf diffusion resistance calculated from stomatal dimensions and varying environmental parameters. **29:139**
stomatal conductance
Flooding and SO_2 stress interaction in *Betula papyrifera* and *B. nigra* seedlings. **29:739**
storm runoff
Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**
stress raisers
Mechanism of frost crack formation in trees—a review and synthesis. **29:559**
stress resistance
Flooding and SO_2 stress interaction in *Betula papyrifera* and *B. nigra* seedlings. **29:739**
striped maple (*see* ***Acer pensylvanicum***)
stumpage
An evaluation of three simplified approaches to modeling the regional demand for National Forest stumpage. **29:3**
stumpage price effect
Rotation age, management intensity, and the economic factors of timber production: do changes in stumpage price, interest rate, regeneration cost, and forest taxation matter? **29:267**
sugar maple (*see* ***Acer saccharum***)
sugar pine (*see* ***Pinus lambertiana***)
sulfur
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
sulfur dioxide (SO_2)
Flooding and SO_2 stress interaction in *Betula papyrifera* and *B. nigra* seedlings. **29:739**
supply
An evaluation of three simplified approaches to modeling the regional demand for National Forest stumpage. **29:3**
Production function analysis and market adjustments: an application to the Pacific Northwest forest products industry. **29:813**
supply and demand multipliers
Interindustry model for analyzing the regional impacts of forest resource and related supply constraints. **29:384**
supply elasticities
An approach to estimating demand for national forest timber. **29:289**
supply of roundwood
Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**

suppressed buds
Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**
survival
Rootstock influences flowering, growth, and survival of loblolly pine grafts. **29:117**
Swedish roundwood market
Monopsony, conjectural equilibria, and the Swedish roundwood market. **29:439**
sweetfern (*see* ***Comptonia peregrina***)
sweetfern rust (*see* ***Cronartium comptoniae***)
sweetgale (*see* ***Myrica gale***)
tax shifting
Land use implications of the ad valorem property tax: the role of tax incidence. **29:702**
taxation effect
Rotation age, management intensity, and the economic factors of timber production: do changes in stumpage price, interest rate, regeneration cost, and forest taxation matter? **29:267**
Taxodium distichum* var. *nutans
Natural and management-related variation in cypress domes. **29:627**
teak (*see* ***Tectona grandis***)
Tectona grandis
Growth and nutrient requirements in a teak plantation age series in Nigeria. I. Linear growth and biomass production. **29:159**
temperature
Genetic control of height growth components in jack pine seedlings. **29:451**
thinning
Association of black-stain root disease with precommercial thinning of Douglas-fir. **29:12**
Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. **29:395**
Compatible basal area growth and yield models consistent with forest growth theory. **29:279**
Thinning lodgepole pine increases tree vigor and resistance to mountain pine beetle. **29:204**
thinning effect
Using competitive stress index to estimate diameter growth for thinned Douglas-fir stands. **29:491**
thinning shock
Initial shock and long-term stand development following thinning in a Douglas-fir plantation. **29:33**
3-carene
Monoterpenes of lodgepole pine xylem resin: a regional study in western United States. **29:333**
3-D coordinates
An inexpensive photogrammetry system for obtaining 3-D spatial coordinates in dynamic testing conditions. **29:341**
throughfall
Effect of stand composition and seasons on chemistry of throughfall and stemflow of ponderosa pine forests. **29:871**
timber demand
An approach to estimating demand for national forest timber. **29:289**
timber harvesting
A model of turn-time requirements in a highlead yarding system. **29:641**
timber production
The effects of a geometric redefinition of the classical road and landing spacing model through shifting. **29:670**
timber supply
An optimal control theory model to estimate the regional long-term supply of timber. **29:798**
timothy (*see* ***Phleum pratense***)
tree reproduction
Plant succession and hydrologic recovery on a deforested and herbicided watershed. **29:545**
tree vigor
Attacks of mountain pine beetle as related to tree vigor of ponderosa pine. **29:395**
tree vigor increase
Thinning lodgepole pine increases tree vigor and resistance to mountain pine beetle. **29:204**
Trifolium pratense
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
Tsuga heterophylla
Soil nitrogen, sulfur, and phosphorus in relation to growth response of western hemlock to nitrogen fertilization. **29:469**
Urea fertilization: effects on primary root mortality and mycorrhizal development of young-growth western hemlock. **29:751**
Tsuga sieboldii
Traumatic resin canal formation as a marker of xylem growth. **29:653**
tulip-poplar (*see* ***Liriodendron tulipifera***)
turn-time requirements model
A model of turn-time requirements in a highlead yarding system. **29:641**
twolined chestnut borer (*see* ***Agrilus bilineatus***)
Ulmus americana
Effects of long-term artificial flooding on a northern bottomland hardwood forest community. **29:535**
uneven-aged forest management
Towards a method of uneven-aged forest management based on the theory of financial maturity. **29:47**
uneven-aged stands
Financial maturity for even-aged and all-aged stands. **29:833**
unmanaged stand data
Predicting ponderosa pine plantation yields using unmanaged stand data. **29:503**
urea fertilization
Urea fertilization: effects on primary root mortality and mycorrhizal development of young-growth western hemlock. **29:751**
valley cold air drainage
Cold air drainage in a narrow forested valley. **29:357**
variable income investments
Some implications of inflation-caused changes in timing of asset yields. **29:149**
vascular anatomy
Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**
vegetative bud development
A stochastic model of balsam fir bud phenology utilizing maximum likelihood parameter estimation. **29:478**
vegetative regeneration
Vegetative regeneration of Gambel oak and chokecherry from excised rhizomes. **29:499**
Verticicladiella wageneri
Association of black-stain root disease with precommercial thinning of Douglas-fir. **29:12**
vigor
Effects of dwarf mistletoe and vigor classes on electrical resistance in lodgepole pine. **29:124**
walnut, black (*see* ***Juglans nigra***)
water potential
Effects of seeding grass and clover on growth and water potential of Douglas-fir seedlings. **29:166**
water potential gradients
Spatial and temporal aspects of water relations of three tree species with different vascular anatomy. **29:317**
water quality
Prescribed burning and water quality of ephemeral streams in the Piedmont of South Carolina. **29:181**